



## 2015-2017 STRING AND CABLE LENGTHS

2017 MODEL	STRING	CABLE 1	CABLE 2	AXLE TO AXLE	BRACE HEIGHT
REIGN 6	62 1/8	35 3/16		32 5/8	6
REIGN 7	62 1/8	35 3/16		32 5/8	7
BT-MAG	65 3/8	39		36"	6.75"
BT-X 31"	64 1/4	34 9/16		31	6.25
BT-X 28"	60 7/16	34 1/8		31	6
FANATIC 3.0 29"	56.3	40.66		37.75	7
FANATIC 3.0 32"	62.65	40.66		37.75	7.375
PRODIGY	60 1/2	35 5/16		32	7
BOSS	64 1/4	39 1/4		36	7
EVA SHOCKEY SIGNATURE SERIES	57 1/4	34 9/32		31.5	6.25
CARBON ICON	55 19/32	35 1/2		31	7
CARBON ROSE	50 13/16	33 3/4		30	6.75
FUEL	55 9/16	36 3/32		31.5	7.125
2016 MODEL	STRING	CABLE 1	CABLE 2	AXLE TO AXLE	BRACE HEIGHT
BT-X 31"	64 1/4	34 9/16		31	6.25
BT-X 28"	60 7/16	34 1/8		31	6
PRODIGY	60 1/2	35 5/16		32	7
BOSS	64 1/4	39 1/4		36	7
FANATIC 2.0 29"	56.05	40.41		37.5	7.13
FANATIC 2.0 32"	62.4	40.41		37.5	7.38
EVA SHOCKEY SIGNATURE SERIES	57 1/4	34 9/32		31.5	6.25
CARBON ICON	55 19/32	35 1/2		31	7
CARBON ROSE	50 13/16	33 3/4		30	6.75
FUEL	55 9/16	36 3/32		31.5	7.125
2015 MODEL	STRING	CABLE 1	CABLE 2	AXLE TO AXLE	BRACE HEIGHT
PRODIGY	60 1/2	35 5/16		32	7
BOSS	64 1/4	39 1/4		36	7
FANATIC	59 11/16	39 11/32		36.5	7.75
RPM 360	61 5/32	34 13/64		31	6
CARBON OVERDRIVE	59 11/16	34 7/8		31.5	6.5
EVA SHOCKEY SIGNATURE SERIES	57 1/4	34 9/32		31.5	6.25
CARBON ICON	55 19/32	35 1/2		31	7
CARBON ROSE	50 13/16	33 3/4		30	6.75
FUEL	55 9/16	36 3/32		31.5	7.125



## 2011-2014 STRING AND CABLE LENGTHS

2014 MODEL	STRING	CABLE 1	CABLE 2	AXLE TO AXLE	BRACE HEIGHT
RPM 360	61 5/32	34 13/64		31	6
CARBON OVERDRIVE	59 11/16	34 7/8		31.5	6.5
EXPERIENCE	60 7/32	34 15/16		32	7
INSANITY CPXL	63 1/4	37 15/16		35	7
SPECIALIST	60 11/16	40		37 7/16	7 1/2
CARBON KNIGHT	57 3/8	35 7/16		31	7
CARBON ROSE	50 13/16	33 3/4		30	6.75
FUEL	55 9/16	36 3/32		31.5	7.125
2013 MODEL	STRING	CABLE 1	CABLE 2	AXLE TO AXLE	BRACE HEIGHT
EXPERIENCE	60 7/32	34 15/16		32	7
INSANITY CPX	60 1/8	34 29/32		32	6
INSANITY CPXL	63 1/4	37 15/16		35	7
SPECIALIST	60 11/16	40		37 7/16	7 1/2
ASSASSIN	55 7/16	36 5/8		30 5/8	7
HEARTBREAKER	50 1/16	33 7/8		30 1/4	7 1/8
2012 MODEL	STRING	CABLE 1	CABLE 2	AXLE TO AXLE	BRACE HEIGHT
INSANITY CPX	60 1/8	34 29/32		32	6
INSANITY CPXL	63 1/4	37 15/16		35	7
INVASION CPX	58 9/32	34 5/16		31 1/32	7 1/8
SPECIALIST	60 11/16	40		37 7/16	7 1/2
ASSASSIN	55 7/16	36 5/8		30 5/8	7
ASSASSIN SD	50 1/16	33 7/8		30 1/4	7 1/8
HEARTBREAKER	50 1/16	33 7/8		30 1/4	7 1/8
2011 MODEL	STRING	CABLE 1	CABLE 2	AXLE TO AXLE	BRACE HEIGHT
INVASION CPX	58 9/32	34 5/16		31 1/32	7 1/8
SPECIALIST	60 11/16	40		37 7/16	7 1/2
DESTROYER 350	61 9/16	35 5/8		32 3/8	6
DESTROYER 340	61 9/16	35 1/2		32 3/8	7
ASSASSIN	55 7/16	36 5/8		30 5/8	7
HEARTBREAKER	50 1/16	33 7/8		30 1/4	7 1/8
SOLDIER	52 13/16	35 3/4		31 3/8	6 7/8



## 2008-2010 STRING AND CABLE LENGTHS

2010 MODEL	STRING	CABLE 1	CABLE 2	AXLE TO AXLE	BRACE HEIGHT
DESTROYER 350	61 9/16	35 5/8		32 3/8	6
DESTROYER 340	61 9/16	35 1/2		32 3/8	7
ADMIRAL FLX	57 13/16	35 25/32		31	7 1/2
CAPTAIN	60 11/16	38 11/16		34	7
SENTINEL FLX	63	41 1/4		36 7/16	7
BRIGADIER	61 3/8	43 5/8		40 3/16	8
SWAT	60 1/8	37 5/8		34 1/32	7
AIR RAID 2	91 5/8	35 11/16		33 7/8	6 7/8
SNIPER	60 1/8	37 5/8		34 1/8	7 3/4
SOLDIER	52 13/16	35 3/4		31 3/8	6 7/8
2009 MODEL	STRING	CABLE 1	CABLE 2	AXLE TO AXLE	BRACE HEIGHT
ADMIRAL	57 23/32	35 29/32		31 1/16	7 1/2
CAPTAIN	60 11/16	38 11/16		34	7
SENTINEL	63	41 3/8		36 11/16	7
BRIGADIER	61 3/8	43 5/8		40 3/16	8
82 AIRBORNE	57 1/4	40 15/16		36 1/4	6 1/8
AIR RAID	56 11/16	32 1/16	15 3/4 HARNESS	33 7/8	6 7/8
SWAT	60 1/8	37 5/8		34 1/32	7
SNIPER	60 1/8	37 5/8		34 1/8	7 3/4
2008 MODEL	STRING	CABLE 1	CABLE 2	AXLE TO AXLE	BRACE HEIGHT
82 AIRBORNE	57 1/4	40 15/16		36 1/4	6 1/8
101 AIRBORNE	57 1/4	41 7/32		36 5/16	7 1/16
GENERAL	58 3/4	37 3/16		31 3/16	8 1/4
GUARDIAN	56 11/16	38 1/8		33 3/4	7 1/8
COMMANDER	59 3/8	42 3/4		37 3/8	8
ALLEGIANCE	56 3/4	37 1/4		33 3/16	7 1/4
EQUALIZER	51 3/16	37 5/8		33 1/4	7 1/4
CONSTITUTION	58 3/4	45 3/8		41	8 1/4
TOMKAT	53 3/4	36 3/8		31 11/16	8 3/8



## 2005-2007 STRING AND CABLE LENGTHS

2007 MODEL	STRING	CABLE 1	CABLE 2	AXLE TO AXLE	BRACE HEIGHT
CONSTITUTION	58 3/4	45 3/8		41	81/4
EQUALIZER	51 3/16	37 5/8		33 1/4	71/4
TRIBUTE	55 7/32	35 5/16		31 1/2	7 3/4
ALLEGIANCE	56 3/4	37 1/4		33 3/16	71/4
TOMKAT	53 3/4	36 3/8		31 11/16	8 3/8
GUARDIAN	56 11/16	38 1/8		33 3/4	7 1/8
COMMANDER	60 3/16	41 5/8		37 1/4	7 1/2
2006 MODEL	STRING	CABLE 1	CABLE 2	AXLE TO AXLE	BRACE HEIGHT
TRIBUTE	54 1/8	35 7/8		31 1/2	7 1/2
ALLEGIANCE	56 1/32	38 1/8		34	7
TOMKAT	53 3/4	36 3/8		31 3/4	8 5/8
EQUALIZER	51 11/32	37 1/16		32	7
OLD GLORY	59	41		36 3/4	8
CONSTITUTION	59	44 9/16		40	81/4
PBR	91 3/16	36 5/16		34	7 1/4
2005 MODEL	STRING	CABLE 1	CABLE 2	AXLE TO AXLE	BRACE HEIGHT
ALLEGIANCE VFT	56 3/16	38 1/8		33 5/8	7
BLACKKNIGHT	55 1/8	38 1/8		36 1/4	5 3/4
CONSTITUTION	62 3/4	44 9/16		40	81/4
DEFENDER VFT	53 13/16	35 1/2		31 1/4	7 3/8
INDEPENDENCE	104 3/4	41 15/16		40	7 3/8
JUSTICE VFT	86	33 5/8		31 1/4	8
LIBERTY VFT	89 15/16	35 7/16		33 1/4	7 1/2
MIGHTY MITE VFT	82 3/4	33 1/16		30 5/8	7 5/8
MIRANDA	82 7/8	34 13/32		32 1/2	81/4
OLD GLORY	60	41 9/16		37 1/4	71/4
PATRIOT VFT	87 15/16	35 3/8		33 1/4	7
PBR	91 3/16	36 5/16		34	7 1/4
RASCAL	66 13/16	26 9/16		24 1/2	71/4
TOMKAT	86 5/16	34 7/8		32 1/2	81/2



## 2003-2004 STRING AND CABLE LENGTHS

2004 MODEL	STRING	CABLE 1	CABLE 2	AXLE TO AXLE	BRACE HEIGHT
BLACKHAWK	79	31 3/8		28 7/8	8
BLACKHAWK 2	74 15/16	31 1/16		29	7 1/2
BLACKKNIGHT	55 1/8	38 1/8		36 1/4	5 3/4
EXTREME VFT	89 1/2	36 1/4		34	6 5/8
JUSTICE VFT	85 3/4	33 1/2		31 1/4	8
LADYHAWK	74 15/16	31 1/16		29	7 1/2
LIBERTY VFT	90 1/8	35 7/16		33 1/4	7 1/2
MIGHTY MITE VFT	82 1/2	33 9/16		30 1/2	7 3/4
PRO 40 SC	98 3/8	40		38 5/8	7 3/4
PRO 40 DUALY	55 3/8	39 3/8		37 1/2	8 1/4
PRO 40 WHEELY	54 3/4	39 1/4		37 1/8	7
PATRIOT VFT	87 1/4	35 7/32		33	7
PATRIOT VFT DUALY	53 3/4	36 7/8		35 1/8	7 5/8
SAMSON VFT	89 1/2	36 1/4		34	6 5/8
TOMKAT	83	33 1/2		31	9 1/8
RASCAL	65 9/16	26 11/16		24 1/2	7 1/4
2003 MODEL	STRING	CABLE 1	CABLE 2	AXLE TO AXLE	BRACE HEIGHT
BLACK KNIGHT PRO (SHORT & TALL)	55 9/16	36 7/8		36	5 3/4 or 6 3/4
BLACKHAWK	79	31 3/8		28 7/8	8
EXTREME VFT	89 1/2	36 1/4		34 1/16	6 5/8
GENERATION 3.2	90 1/16	39 5/8	18	38	7
LADYHAWK	73 15/16	30 3/4		29	7 1/2
MIGHTY MITE	84 3/8	33 3/4		31 1/4	7 1/4
PRO 40 SC	98 1/4	41 1/4		38 5/8	7 3/4
PRO 40 DUALY CAM	56 7/8	38 1/2		38	7 3/8
PRO 40 WHEELY	54 3/4	39 1/4		38	7 1/4
PATRIOT SC	88 9/16	36 1/2		35	7 3/8
PATRIOT DUALY	54 1/4	35 3/4		34	7 11/16
PRO 38	94 1/4	39 1/4		36 2/3	7 3/8
RASCAL	65 9/16	26 11/16		24 1/2	7 1/4
SAMSON	89 1/2	36 1/4		34	6 5/8
STALKER	87 5/16	35 1/8		33 1/8	7 3/4
STALKERLITE	84 7/8	35 1/2		33 3/4	6 7/8
TECH 29	80 5/8	31 3/4		29 1/2	6 1/2
TOMKAT	83	33 1/2		31	9 1/8



## 2000-2002 STRING AND CABLE LENGTHS

2002 MODEL	STRING	CABLE 1	CABLE 2	AXLE TO AXLE	BRACE HEIGHT
BLACKHAWK	78 1/2	31 3/16		23 3/8	9 1/5
BLACKKNIGHT 2	56 1/2	39 3/16		37.5	5.5
EXTREME SOLO (SHORT & TALL)	90 5/8	37 3/16		35	6 or 7
EXTREME SD (SHORT & TALL)	86	35		32 1/2	5 5/8 or 6 5/8
GENERATION 3.2	90 1/16	39 5/8	18	37 1/2	7
MIGHTY MITE	84 3/16	33 11/16		31 1/2	7 1/4
PRO 38 DUALY	56 1/16	40			
PRO 38 (SHORT & TALL)	95 15/16	39 5/8		37 1/3	6 1/16 or 7 1/16
PRO 40 (SHORT & TALL)	98 3/16	41 1/4		38 1/2	6 3/4 or 7 3/4
PATRIOT	88 5/8	36 7/16		34	7 1/4
RASCAL	65 9/16	26 11/16		24 1/2	7 1/2
SAMSON (SHORT & TALL)	92 9/16	38 1/16		36	5 5/8 or 6 5/8
STALKER	87 7/8	35 1/2		33 1/2	7 3/4
STALKERLITE	84 7/8	35 1/2		33 1/2	
TECH 29	80 7/8	31 7/8		29 1/2	6 1/2
TOMKAT	82 9/16	33 5/8		31	9
2001 MODEL	STRING	CABLE 1	CABLE 2	AXLE TO AXLE	BRACE HEIGHT
BLACKKNIGHT 2 (SHORT & TALL)	55 1/8	38 1/16		36	5 1/4 or 6 1/4
EXTREME SOLO (SHORT & TALL)	92 7/16	38 1/16		36	5 5/8 or 6 5/8
EXTREME SD (SHORT & TALL)	85 7/8	35		32 1/2	5 7/8 or 6 7/8
GENERATION 3 (SHORT & TALL)	87 1/2	38 1/16	18	36	5 5/8 or 6 5/8
MIGHTY MITE	84 3/16	33 11/16		31 1/2	7 1/4
PRO 38 DUALY	56 1/16	40			
PRO 38	96 5/16	40		38	7 1/2
PRO 40	98 15/16	41 5/8		40	7 7/8
STALKER	87 7/8	35 1/2		33	7 3/4
TECH 29	80 7/8	31 7/8		29 1/2	6 5/8
2000 MODEL	STRING	CABLE 1	CABLE 2	AXLE TO AXLE	BRACE HEIGHT
BLACKKNIGHT 2 (SHORT & TALL)	55 3/4	37 1/4			5 1/2 or 6 1/2
EXREME SOLO (SHORT AND TALL)	92 7/16	38 5/8			6 or 7
EXTREME SD	86	35 1/2			6 1/4
GENERATION 3 (SHORT & TALL)	88 3/8	38 5/8	18 3/4		6 or 7
MIGHTY MITE (SHORT & TALL)	84 3/8	33 15/16			7 1/4 or 8 1/2
STALKER	88 1/8	36			8 1/8